



**ASSOCIATED CARPETS®**












Associated Carpets  
**Gravity Series**

Plank Hali



Renk Seçenekleri






# Gravity Series




# Ürün Özellikleri

## Gravity Series

Product	Gravity
Fiber	100% Polypropylene
Structure	Loopile : Multi-Levelloop
Gauge	1/12"
Stitches	10 perinch
Tufts / sqm	186000
Average Pile Height	4.0 +/- 0.5 mm
Total Height	7.0 +/- 0.5 mm
Pile Weight	715 g/sqm
Total Weight	3465 g/sqm
Tile Size	25*100 cm
Backing	E+Bac (Bitumen)
Approved Installation Method	 
	Herringbone      Ashlar
Flammability	ASTME645 : $\geq 0.22$ watts/cm <sup>2</sup> Class II
Smoke Density	ASTME662 : $\geq 450$ DMC
Dimensional Stability	AACHEN : $\leq 0.2\%$
Tuft Bind	ASTMD1335 : $\geq 8.0$ lbs
Delamination	ASTMD3936 : $\geq 3.0$ lbc/in
Static Propensity	AATCC134 : $\leq 3.5$ kV
Colorfastness To Light	AATCC16E : $\geq 4-5$




Uygulama Fotoğrafları  
**Gravity Series**




# Uygulama Fotoğrafları

## Gravity Series



# Uygulama Fotoğrafları

## Gravity Series



# Uygulama Fotoğrafları

## **Gravity Series**

